

FEED SCREWS	QTY	OEM	Size	INJ Unit	OAL	FL	Material	Description	Screw Info
AR-S-15M-4CC-M-12588	2	ARBURG	15MM		35.235	15.275	CHROME Col56	15MM ARBURG MIXING SCREW P-3000	Chrome P-3000 Mixing Screw
AR-S-25-D-1	1	ARBURG	25MM		20.250	17.250	V-MAX-4	25MM ARBURG SCREW O.A.L. 20.250	GP
AR-S-30-D2-11378	3	ARBURG	30MM		40.062	20.437	V-MAX-4	ARBURG 30MM SCREW TOOL STEEL	CONICAL FLIGHT DESIGN
AR-S-30M-S90V-12380	1	ARBURG	30MM		38.465	29.653	V-MAX-9HC	30MM ARBURG SCREW ULTRA HIGH ABRASION & HIGH CORROSION	GP
AR-S-40-CPM	1	ARBURG	40MM		27.563	24.023	V-MAX-9	40MM ARBURG FEED SCREW MFG. TOOL STEEL	GP
AR-S-60-C10-10828	2	ARBURG	60MM		67.280	51.405	CARBIDE	60MM ARBURG SCREW CARBIDE ENCAPSULATED	GP
BOY-S-22-D	2	BOY	22MM		18.625	13.000	V-MAX-4	22MM BOY SCREW 18.625 OAL	OAL: 18.625" FL: 13.00" SHANK: 5.625" DRIVE: 2 FLATS HOLE THRU CENTER L/D 16:1
BOY-S-22-D-071	1	BOY	22MM		25.625	16.500	V-MAX-4	22MM BOY SCREW 25.650 OAL MT-01-028-0071	OAL: 25.625" FL: 16.500" SHANK: 9.125" DRIVE: 2 FLATS HOLE THRU CENTER CUSTOMER PART NUMBER MT-01-028-0071
BOY-S-22-D-S	1	BOY	22MM		15.625	11.250	V-MAX-4	22MM BOY SCREW TOOL STEEL	OAL: 15.625" FL: 11.250" SHANK: 4.375" DRIVE: SINGLE KEY
BOY-S-28-D	1	BOY	22MM		29.875	24.000	V-MAX-4	28MM BOY SCREW TOOL STEEL	OAL: 29.875" FL: 24.00" SHANK: 5.875" DRIVE: 2 FLATS HOLE THRU CENTER
CH-S-75-PCS-888-9143	1	CHEN HSONG	75MM		83.740	64.960	CARBIDE	75MM CHEN HSONG SCREW CARIBE ENCAPSULATE	GP
CIN-S-1 3/4-NCC-M	1	CINCINNATI	1.75"		43.000	32.000	NITRIDE Col56	1 3/4" CINCINNATI SCREW P-4000 MIXER	PRINT NO. 5303 P-4000 MIXING SECTION 20:1 L/D
CNC-S-1 5/8-D2-16/20	2	CINCINNATI	1.625"		42.750	32.500	V-MAX-4	1 5/8" CINCINNATI SCREW TOOL STEEL	OAL 42.750 F.L 32.500 SAME AS 20:1 SHANK 10.250 SAME AS 16:1 3/4-10 L.H THREAD SPECIAL
CNC-S-28-CPM-164	1	CINCINNATI	28MM		38.000	25.125	V-MAX-9	28MM CINCINNATI SCREW PART MT01-028-00164 TOOL STEEL	GP
CNC-SR-1 5/8-4CC	1	CINCINNATI	1.625"		44.875	32.500	CHROME Col56	1 5/8" CINCINNATI REBUILT SCREW	GP
CNF-S-30M-NCN-9707	1	CINCINNATI	30MM		40.655	38.125	NITRIDE Col56	30MM CINCI FERROMATIC SCREW	GP
CNM-S-110M-NCN-11409-BLKC	1	CINCINNATI	110MM	140 oz	132.080	95.270	NITRIDE Col56	110MM CINCINNATI MAXIMA SCREW	MANUFACTURE FROM 4140 STEEL WITH COLMONOY-56 ON THE FLIGHTS AND NITRIDE THE ROOTS - PRINT NO. 11409 - BS110-C-CN
CNV-S-1 5/8-4CC	1	CINCINNATI	1.625"		44.875	32.500	CHROME Col56	1 5/8" CINCINNATI SCREW	GP
CNV-S-45-4CC-M	1	CINCINNATI	45MM	VT 110-10	47.925	35.425	CHROME Col56	45MM CINCINNATI VISTA SCREW WITH MIXER	GP
CNV-S-45-PX900-9OZ-10425	1	CINCINNATI	45MM	9 OZ	42.680	31.060	V-MAX-9	45MM CINCINNATI SCREW TOOL STEEL	FITS 9 OZ. INJECTION UNIT.
CNV-S-65-4CC-M-6340	1	CINCINNATI	65MM	29 oz.	66.937	51.312	CHROME Col56	65MM CINCINNATI VISTA SCREW WITH P-3000	GP
CNV-S-70-4CC-BSB-34OZ	1	CINCINNATI	70MM		66.312	50.687	CHROME Col56	70MM CINCINNATI FED SCREW COLMONOY/CHROME (34 OZ.)	GP
CNV-S-80-NCN-6346	1	CINCINNATI	80MM		103.250	64.063	NITRIDE Col56	80MM CINCINNATI VISTA SCREW	GP
CV35-CC-8461	3	CINCINNATI	35MM		43.125	31.500	CHROME Col56	35MM CINCINNATI SCREW 5 OZ SHOT MANUFACTURED WITH COLMONOY 56 FLIGHTS AND CHROME PLATED ROOTS	GP
CV40-CN-2451	3	CINCINNATI	40MM	7 oz	43.090	31.500	NITRIDE Col56	40MM CINCINNATI SCREW	GP
CV50-CC-8400	3	CINCINNATI	50MM	17 oz	59.125	43.850	CHROME Col56	50MM CINCINNATI SCREW	GP
CV50-CN-8400	5	CINCINNATI	50MM	17 oz	59.125	43.850	NITRIDE Col56	50MM CINCINNATI SCREW	THIS IS A 17 OZ. SHOT SIZE
CV55-CC-6195	1	CINCINNATI	55MM	VISTA 220-20	58.660	43.310	CHROME Col56	55MM CINCINNATI SCREW G.P., 20 OZ. SHOT SIZE.	GP
EG-S-3 1/2-4CC	1	EGAN	3.50"				CHROME Col56	3 1/2 EGAN SCREW COLMONY-56 AND CHROME	GP
EG-S-4 1/2-4CC-3061	1	EGAN	4.50"		109.687	87.187	CHROME Col56	SHORTENED 4-1/2"EGAN OAL:109.7"	GP
EN-S-45-4CC-6471	1	ENGEL	45MM		48.300	29.324	CHROME Col56	45MM ENGEL REVERSE PITCH SCREW	GP
EN-S-45-NCN-M-9584	1	ENGEL	45MM		47.500	28.524	NITRIDE Col56	45MM ENGEL MIXING SCREW	CUSTOM LENGTH
EN-S-70-4CC-11868-BLK	1	ENGEL	70MM		85.000	58.125	CHROME Col56	70MM ENGEL SCREW GENERAL-PUPROSE FLIGHT DESIGN.	GP
EN-S-90-4CC-6054	1	ENGEL	90MM		100.787	74.797	CHROME Col56	90MM ENGEL SCREW GENERAL-PURPOSE FLIGHT DESIGN.	GP
EX-SR-2 1/2-4CC	1	EXTRUDER	2.50"		76.250	63.750	CHROME Col56	2.50" Extruder Screw	GP
HPM-S-4 1/2-4CC	1	HPM	4.50"		112.250	87.312	CHROME Col56	4 1/2" HPM SCREW	GP
HPM-S-60-4CC	1	HPM	60MM		59.625	45.312	CHROME Col56	60MM HPM SCREW	GP
JSW-S-51-CPM-M	1	JSW	51MM		47.375	36.812	V-MAX-9	51MM JSW SCREW TOOL STEEL P-3000 MIXER	GP MIXING SCREW
KA-S-40-D2	1	KAWAGUCHI	40MM		37.125	27.500	V-MAX-4	40MM KAWAGUCHI FEED SCREW TOOL STEEL	GP

FEED SCREWS	QTY	OEM	Size	INJ Unit	OAL	FL	Material	Description	Screw Info
MIT-S-62-NCN-3735	1	MITSUBISHI	62MM		76.125	53.625	NITRIDE Col56	62MM MITSUBISHI FEED SCREW L/D 22:1	THIS SCREW IS FOR LOW SHEAR APPS ONLY 1.5 TURNS OF METER 2.9 COMP RATIO
NA-S-105-4CC-2425	1	NATCO	105MM		100.180	82.960	CHROME Col56	105MM NATCO FEED OAL: 100.180 THREAD: 2 3/4"	GP
NB-S-1 1/2-D2	1	NEWBURY	1.50"		31.750	23.750	V-MAX-4	1 1/2" NEWBURY SCREW TOOL STEEL	GP
NB-S-1 3/4-D2-14	1	NEWBURY	1.75"		31.500	23.750	V-MAX-4	1 3/4" O.D. NEWBURY SCREW 14:1 L/D TOOL STEEL	PLASTI-CO PRINT NO. 2857 D-2 HEAT TREATED TOOL STEEL.
NB-S-1 3/4-D-T	1	NEWBURY	1.75"				V-MAX-4	1 3/4" NEWBURY SCREW TOOL STEEL FOR THERMOSET	GP
NB-S-2-1/2-D2	1	NEWBURY	2.50"				V-MAX-4	2-1/2 NEW BRITAIN SCREW TOOL STEEL FOR THERMOSET	GP
NIG-S-30-4CC-M-8171	1	NIIGATA	30MM		32.187	24.687	CHROME Col56	30MM NIIGATA SCREW P-3000 MIXER	GP MIXING SCREW
NIG-S-52M-C10-7018	1	NIIGATA	52MM		48.312	36.937	CARBIDE	52MM NIIGATA SCREW CARBIDE ENCAPSULATED (8) L/D 18:1	GP
NIG-S-76M-NCN-8134	1	NIIGATA	76MM		69.251	53.857	NITRIDE Col56	76MM NIIGATA SCREW	GP
NIG-S-82-4CC-M-10902	1	NIIGATA	82MM		68.812	53.312	CHROME Col56	82MM NIIGATA MIXING SCREW P-3000 MIXER	GP MIXING SCREW
NIG-S-82-4CC-M-9836	1	NIIGATA	82MM		83.465	59.843	CHROME Col56	82MM NIIGATA MIXING SCREW P-3000 MIXER	GP MIXING SCREW
NI-S-16-PX9-2VE-12942	1	NISSEI	16MM	2VE	19.380	13.786	V-MAX-9	16MM NISSEI SCREW TOOL STEEL	GP FITS 2VE INJECTION UNIT
NI-S-19-C1000NI-5E-12354-NYS	2	NISSEI	19MM		25.000	18.250	CARBIDE	19MM NISSEI SCREW (5E) TACT CARBIDE ENCAPSULATED, HIGHLY POLISHED TO 16-32 RMS FINISH. CUSTOM FLIGHT PROFILE.	GP
NI-S-19M-4CC-12032	1	NISSEI	19MM	TACTMachine5	21.535	15.925	CHROME Col56	19MM NISSEI SCREW	GP
NI-S-36-VM8-18A-M-13989	1	NISSEI	36MM	18A PRE-TACT	39.055	30.118	V-MAX-8	36MM NISSEI V-MAX-8 MIXING SCREW P-3000 TOOL STEEL	GP MIXING SCREW FITS 18A PRE-TACT INJECTION UNITS
NI-S-40-4CC-18E/A-9200-BLK	1	NISSEI	40MM	18E/A	42.795	33.858	CHROME Col56	40MM NISSEI (18E & 18A) SCREW	USE BLANK # BS40-C-CC
NI-S-40M-4CC-M-25A/E-12769	1	NISSEI	40MM	25A	44.095	34.645	CHROME Col56	40MM NISSEI (25A) FEED SCREW COL-56/CHROME WITH SPECIAL MIXER	GP MIXING SCREW
NI-S-45-OEM-6038	1	NISSEI	45MM		54.449	42.638	CHROME Col56	45MM NISSEI SCREW OEM # 36E45-T4-12057	GP
NI-S-50-4CC-M-13010	1	NISSEI	50MM	36A	53.285	41.470	CHROME Col56	50MM NISSEI (36A) MIXING SCREW	MANUFACTURE FROM ALLOY STEEL WITH BIMATALIC & CHROME PLATE AS TO PRINT # 13010
NI-S-50M-4CC-M-50A-12592	1	NISSEI	50MM	50E/A	58.760	46.750	CHROME Col56	50MM NISSEI 50 E/A SCREWMIXER	GP MIXING SCREW
NI-S-56M-NCN-M-50E/A-12508	1	NISSEI	56MM	50E/A	59.409	47.400	NITRIDE Col56	56MM NISSEI 50E/A MIXING SCREW	GP MIXING SCREW
NI-S-90-NCN-210L-8463	1	NISSEI	90MM	210L	84.842	62.835	NITRIDE Col56	90MM NISSEI SCREW FITS 210L INJECTION UNITS.	GP
NI-S-NN-56-OEM-50E/A	2	NISSEI	56MM	50E/A	58.759	46.750	NITRIDE Col56	56MM NISSEI SCREW	GP
SU-S-50M-C10-12058-BLK	1	SUMITOMO	50MM		51.560	39.870	CARBIDE	50MM SUMITOMO SCREW TUNGSTEN/CARBIDE ENCAPSULATED	3:1 Comp
SU-S-63-NCN	1	SUMITOMO	63MM		77.375	54.750	NITRIDE Col56	63MM SUMITOMO SCREW	3:1 Comp
TO-S-100-4CC-80A-11064	1	TOSHIBA	100MM		104.960	74.803	CHROME Col56	100MM TOSHIBA SCREW	GP
TO-S-125-4CC-M-7439	1	TOSHIBA	125MM		130.610	93.504	CHROME Col56	125MM TOSHIBA SCREW WITH O.E.M. MIXER 19:1L/D	GP MIXING SCREW
TO-S-22-NCN-CUS-12766	1	TOSHIBA	22MM		28.590	19.840	NITRIDE Col56	22MM TOSHIBA SCREW CUSTOM PROFILE VARIED FLIGHT WIDTH	GP
TO-S-25-NCN-1.5A-12721	1	TOSHIBA	25MM	1.5A	31.437	22.126	NITRIDE Col56	25MM TOSHIBA FEED SCREW	2.35 Comp Custom Variable Width Flights
TO-S-28-CPM-1	1	TOSHIBA	28MM				V-MAX-9	28MM TOSHIBA TOOL STEEL	GP
TO-S-32-CPM-6	2	TOSHIBA	32MM		34.375	24.625	V-MAX-9	32MM TOSH #N099256 TOOL STEEL	GP OAL: 34.375 FL: 24.625
TO-S-36-PX-900-M-3A-12979	1	TOSHIBA	36MM	3A	40.785	27.715	V-MAX-9	36MM TOSHIBAMIXING SCREW TOOL STEEL	2B or 3A Inj 2.5:1 Comp Eagle Mixer
TO-S-40-NCN-M-5024	1	TOSHIBA	40MM		43.780	30.709	NITRIDE Col56	40MM TOSHIBA MIXING SCREW P-4000	Softer P-4000 Mixer 3.3 Comp Long Trans
TO-S-45M-4CC-M-11101-10Y-BLK	1	TOSHIBA	45MM	10Y	56.750	38.875	CHROME Col56	45MM TOSHIBA (10Y) MIXING SCREW COLMONOY/CHROME	GP P-3000 Mixer
TO-S-45M-4CC-M-12586	1	TOSHIBA	45MM	10Y	56.750	38.875	CHROME Col56	45MM TOSHIBA (10Y) MIXING SCREW	2.2:1 Comp Eagle Mixer
TO-US-50M-4CC-9A	1	TOSHIBA	50MM	9A	57.875	39.375	CHROME Col56	USED 50MM TOSHIBA (9A) SCREW	SCREW HAS BEEN USED, FLIGHT O.D. 1.957 FLIGHTS ARE ROUNDED OVER MATCHES PRINT 5873
TOYO-S-36-D2-90	4	TOYO	36MM		37.126	28.355	V-MAX-4	36MM 90 TON TOYO TOOL STEEL	WILL FIT A G, G2 OR H - 90TON, NOT FOR THE NEW SI STYLE

FEED SCREWS	QTY	OEM	Size	INJ Unit	OAL	FL	Material	Description	Screw Info
UBE-S-112M-4CC-11637-BLKB	1	UBE	112MM		139.500	108.030	CHROME Col56	112MM UBE SCREW	GP
UBE-S-120-4CC-7095CS	2	UBE	120MM		135.846	96.143	CHROME Col56	120MM UBE SCREW UZ150-252-201-0A/1	2.5:1 Comp Long Feed
UBE-S-80-4CC-6523	2	UBE	80MM		82.066	56.691	CHROME Col56	80MM UBE SCREW 182-42252:201-0 (UM500)	2.5:1 Comp Long Feed
VD35-CN-8395	2	VAN DORN	35MM		35.334	25.472	NITRIDE Col56	35MM VAN DORN SCREW	GP
VD38-CN-4406	1	VAN DORN	38MM		36.750	27.125	NITRIDE Col56	38MM VAN DORN SCREW	GP
VD40-CC-4404	3	VAN DORN	40MM		38.169	28.330	CHROME Col56	40MM VAN DORN SCREW	GP
VD50-CN-4405	2	VAN DORN	50MM		49.389	36.023	NITRIDE Col56	50MM VAN DORN SCREW	GP
VD57-CC-4557	2	VAN DORN	57MM		54.350	40.964	CHROME Col56	57MM VAN DORN SCREW	GP
VDD-S-22-PCS-88	1	VAN DORN DEMAG	22MM		28.620	19.310	CARBIDE	22MM VAN DORN DEMAG SCREW CARBIDE ENCAPSULATED	PRINT NO.4475
VDD-S-25-PCS-888	2	VAN DORN DEMAG	25MM		30.810	21.810	CARBIDE	25MM VAN DORN DEMAG SCREW WITH CARBIDE ENCAPSULATED	PRINT NO. 4292
VDD-S-70-4CC-8978	1	VAN DORN DEMAG	70MM		81.850	60.984	CHROME Col56	70MM VAN DORN DEMAG SCREW 2:1 COMP RATIO, 2800 RR SERIES	2:1 Comp
VD-S-35-C10-CUSTOM-11872	1	VAN DORN	35MM		35.334	25.473	CARBIDE	NEW 35MM VAN DORN CARBIDE ENCAPSULATED SCREW WITH HIGH POLISH 16/32 RMS FINISH, CUSTOM PROFILE	3.8:1 Comp
VD-S-38-PX900TT-8177	1	VAN DORN	38MM		36.750	27.125	V-MAX-9	38MM VAN DORN SCREW WITH TIGHT O.D SPEC	TIGHT O.D SPEC
VD-S-57-NCN-M-6120	1	VAN DORN	57MM		54.350	40.964	NITRIDE Col56	57MM VAN DORN SCREW P-3000 MIXER	P-3000
VD-S-65-4CC	1	VAN DORN	65MM		59.645	46.260	CHROME Col56	65MM VAN DORN SCREW 2.3:1 COMP	GP
VDT-S-35-4CC-5361	1	VAN DORN	35MM		37.687	27.812	CHROME Col56	35MM VAN DORN TRUBOR SCREW	GP